

NPRG075

Heuristic evaluation of programming systems

Tomáš Petříček, 309 (3rd floor)

✉ petricek@d3s.mff.cuni.cz

➔ <https://tomasp.net> | [@tomaspetricek](#)

Lectures: Monday 12:20, S7

➔ <https://d3s.mff.cuni.cz/teaching/nprg075>



Programming systems

What really matters?

Programming systems

What can we study?

- ≠ Formal semantics and type safety
- 🖥️ Learnability for novice programmers
- 👤 Socio-technical context of the system
- /// Principles behind the system design


What makes a language popular

None of the things we talked about?

Popular \neq Good

The index has its flaws

Still, a reason to think!



Most loved or most dreaded?

Enthusiastic
community?
Good tooling?
Clean idea?
Practicality?

Need to talk about
less exact things!



Analysis of language perceptions

Survey analysis

- Survey of language characteristics
- Feature and language correlations
- tinyurl.com/nprg075-socio





Adoption of languages

- Libraries matter
- Legacy and history matter
- Flexibility more important than correctness



Programming systems

Important but hard to study

-  Expressivity of the programming notation
-  Unifying conceptual model ("everything is ...")
-  Style of interaction with the system
-  Extensibility and flexibility of the language

Heuristic analysis

High-level rules,
characteristics or
principles

Developed by experts,
based on reviews and
experience

Useful for evaluation,
classifying, analysis,
new design


Nielsen Norman Group

Jakob's Ten Usability Heuristics

- 1 Visibility of System Status**


Designs should *keep users informed* about what is going on, through appropriate, timely feedback.

Interactive mall maps have to show people where they currently are, to help them understand where to go next.


- 2 Match between System and the Real World**


The design should speak the users' language. Use words, phrases, and concepts familiar to the user, rather than internal jargon.

Users can quickly understand which stovetop control maps to each heating element.


- 3 User Control and Freedom**


Users often perform actions by mistake. They need a clearly marked "emergency exit" to leave the unwanted action.

Just like physical spaces, digital spaces need quick "emergency" exits too.


- 4 Consistency and Standards**


Users should not have to wonder whether different words, situations, or actions mean the same thing. Follow platform conventions.

Check-in counters are usually located at the front of hotels, which meets expectations.


- 5 Error Prevention**


Good error messages are important, but the best designs carefully prevent problems from occurring in the first place.

Guard rails on curvy mountain roads prevent drivers from falling off cliffs.


- 6 Recognition Rather Than Recall**


Minimize the user's memory load by making elements, actions, and options visible. Avoid making users remember information.

People are likely to correctly answer "Is Lisbon the capital of Portugal?".


- 7 Flexibility and Efficiency of Use**


Shortcuts — hidden from novice users — may speed up the interaction for the expert user.

Regular routes are listed on maps, but locals with more knowledge of the area can take shortcuts.


- 8 Aesthetic and Minimalist Design**


Interfaces should not contain information which is irrelevant. Every extra unit of information in an interface competes with the relevant units of information.

A minimalist three-legged stool is still a place to sit.


- 9 Recognize, Diagnose, and Recover from Errors**


Error messages should be expressed in plain language (no error codes), precisely indicate the problem, and constructively suggest a solution.

Wrong-way signs on the road remind drivers that they are heading in the wrong direction.


- 10 Help and Documentation**

It's best if the design *doesn't need* any additional explanation. However, it may be necessary to provide documentation to help users complete their tasks.

Information kiosks at airports are easily recognizable and solve customers' problems in context and immediately.







NN/g

www.nngroup.com/articles/ten-usability-heuristics/

Programming systems

Heuristic frameworks

-  Levels of liveness of programming systems
-  Memory models of programming languages
-  Cognitive dimensions of notation
-  Technical dimensions of programming systems

Programming systems

Liveness and memory models



From batch processing ...

Coding at the computer prohibitively expensive

Write program, punch on cards, submit & wait

A few day feedback cycle!


... to live coded music performance

Break - DJ_Dave (Live Coded Performance)



Visual programming

Planning and coding of problems for an electronic computing instrument (Goldstine, von Neumann, 1948)



Liveness levels

(Tanimoto, 1990)

Level 1

Flowchart that exists independently of a program

Level 4

Continuous processing with immediate dynamic change of behaviour








Figure 2. Levels of 'liveness' in visual programming systems

Liveness levels

Programming system heuristic

-  Single property of specific systems
-  Can be used for comparing systems
-  Imagines step beyond the state-of-the-art
-  Can be used for designing new systems


Memory models of systems

Primary representation




- How things are represented
- Defines what can be done
- Defines how to think!

Six major conceptualizations




- COBOL, LISP and FORTRAN
- SQL, UNIX and tape storage
- In reality, it's always a mix!



Language memory models





-  COBOL - Memory is a nested record (tax form)
No need for pointers, but no sharing allowed
-  LISP - Memory is an object graph (symbol list)
Flexible, but serialization & efficiency tricky
-  FORTRAN - Memory is a bunch of arrays (vector)
Close to the metal, but no semantic checking

Storage memory models

-  PIPES - Magnetic tape model (I/O streams)
Specific, but great for some problems (MapReduce)
-  MULTICS - Tree with blob leaves (file system)
Legible, allows separation; rarely used in full
-  SQL - Memory is a set of relations (tables)
Expressive query language, c.f. Prolog and similar

Memory models

Programming system heuristic

-  Single property of any programming system
-  Categorical rather than ordinal
-  Sheds light on what exists
-  Open to questioning, e.g., is that all there is?

Notations

Cognitive dimensions


Notations and humans

Notations in computing

- Programming languages
- Markup and config files
- Rule and macro editors





User experience questions


- Does the notation structure support activities of the user?
- Is one notation the best?



Cognitive dimensions

Programming system heuristic

-  Comprehensible broad-brush evaluation
-  Understandable for non-specialists
-  Distinguish different user needs
-  Prompt designers to see more choices



Dimensions × Activities







Variety of dimensions
For a given activity


Activities

Generic activities
involving notations

Each has different
notational needs

Activities with different needs

-  Incrementation - adding formulas to spreadsheet
-  Transcription - copying data from paper
-  Modification - changing formula in a spreadsheet
-  Exploratory design - designing software structure
-  Searching - finding uses of a function
-  Exploratory understanding - understanding code



Dimensions × Activities






Variety of dimensions
For a given activity

Dimensions






Characteristic
of the notation

Human-computer
interaction analysis
perspective

Example cognitive dimensions (1/2)

-  Viscosity - Resistance to change
-  Visibility - Ability to view components easily
-  Premature commitment - Need to decide too early
-  Hidden dependencies - Important links not visible
-  Role-expressiveness - Purpose of an entity is clear


Example cognitive dimensions (2/2)

-  Error-proneness - Notation invites mistakes
-  Abstraction - Types and availability of mechanisms
-  Consistency - Similar syntax has similar semantics
-  Diffuseness - Verbosity of language
-  Hard mental operations - High cognitive demand

Case study

Two ways of specifying email filters

Visual rule editor vs. scripting language



Two ways of specifying email filters

Visual editor

Custom Filter

Custom filters work on all new emails, including incoming emails as well as sent emails

Name:

CONDITIONS

If or or

ACTIONS

Apply labels

Move to

Inbox Archive Spam Trash

Info (Academic) Info (GitHub) Info (Microsoft) Info (Other)

Work

Mark as

Send auto reply

Scripting language

Custom Filter

Custom filters work on all new emails, including incoming emails as well as sent emails

Name:

To find out how to write Sieve filters, [click here](#).

Sieve Script

```
1 require ["fileinto", "imap4flags"];
2
3 if anyof
4   (address :all :comparator "i;unicode-casemap" :contains
5     ["Delivered-To", "To", "Cc", "Bcc"]
6     ["info@tomasp.net", "students@clarehall.cam.ac.uk",
7      "clarehall-students-official@lists.cam.ac.uk",
8      "clarehall-info@lists.cam.ac.uk",
9      "clarehall-events@lists.cam.ac.uk"],
10    address :all :comparator "i;unicode-casemap" :contains
11      "From" "no-reply@slack.com")
12 {
13   fileinto "Info (Other)";
14 }
```

Custom Filter

Custom filters work on all new emails, including incoming emails as well as sent emails

Name

CONDITIONS

If

ACTIONS

Apply labels

Move to

Inbox Archive Spam Trash

Info (Academic) Info (GitHub) Info (Microsoft) Info (Other)

Work

Mark as

Send auto reply

Incrementation

Adding new condition

Viscosity

Not all additions possible

Abstraction

Condition format is fixed

Hard mental operations

Everything is simple & clear

Custom Filter

Custom filters work on all new emails, including incoming emails as well as sent emails

Name

To find out how to write Sieve filters, [click here](#).

Sieve Script

```
1 require ["fileinto", "imap4flags"];
2
3 if anyof
4   (address :all :comparator "i;unicode-casemap" :contains
5     ["Delivered-To", "To", "Cc", "Bcc"]
6     ["info@tomasp.net", "students@clarehall.cam.ac.uk",
7      "Clarehall-students-official@lists.cam.ac.uk",
8      "clarehall-info@lists.cam.ac.uk",
9      "clarehall-events@lists.cam.ac.uk"],
10    address :all :comparator "i;unicode-casemap" :contains
11      "From" "no-reply@slack.com")
12 {
13   fileinto "Info (Other)";
14 }
```

Incrementation

Adding new condition

Viscosity

Edit text for any change

Abstraction

Possible via a script


Hard mental operations

Understanding code is hard

Two ways of specifying filters

Cognitive dimensions

- Used for evaluation
- Consider activities & dimensions
- Clear lists to use




What is a better notation?

- Wrong question: different trade-offs!
- UI is viscose, less abstract, but simpler
- Script has abstractions, less viscose, but harder

Block based visual languages

Contrast with text for
addition (writing code)

Premature commit
Diffuseness / verbosity
Abstraction
Error-proneness




Reading

CDs in the real-world!

- A Usability Analysis of Blocks-based Programming Editors using Cognitive Dimensions
- tinyurl.com/nprg075-blocks (SciHub)

Why read this paper

- Example of rigorous analysis
- Based on a user study
- Equally possible with expert assessment



Programming systems

Technical dimensions


From languages to systems

Programming system is

Integrated and complete set of tools sufficient for creating, modifying, and executing programs

These will include


Notations for structuring programs and data, facilities for running and debugging programs, and interfaces for performing all of these tasks.



Interesting programming systems

Research and industry

- Low-code and no-code startups
- Live & interactive systems
- Interesting code editors



How do we talk about these?

- Difficult to say what is new
- Hard to look beyond the interface
- Programming systems deserve a theory too!


Technical dimensions

Based on analysis of past and modern systems

Capture their key characteristics

Describe a range of possible values

Descriptive, not prescriptive



Technical dimensions catalogue

Interaction

Feedback Loops

Modes of interaction

Abstraction Construction

Notation

Notational Structure

Surface/Internal

Primary/Secondary

Expression Geography

Uniformity

Error Handling

Error Detection

Error Response

Conceptual Structure

Integrity/Openness

Composability

Convenience

Commonality

Customizability

Staging

Externalizability

Additive Authoring

Self-Sustainability

(Others)

Degrees of Automation

Learnability & Sociability


Notational uniformity

Post-modernist

- Variety of different notations
- More to learn, but better problem fit
- Perl language, Web platform

Modernist

- Small set of uniform primitives
- Not everything fits the notation
- Lisp and (partly) Smalltalk




Self-sustainability

Separate language level

- Implementation vs. user level
- Limited changeability from within
- Java and other languages

Integrated systems design

- Implemented & modifiable in itself
- Often changeable at runtime
- Smalltalk, Lisp Machines




Abstraction construction

From Concrete

- Generalize from examples
- Expanding range in Excel
- Pygmalion system





From Abstract

- Define function first
- Most programming languages
- Coding done without values



Technical dimensions

Programming system heuristic

-  Making sense of different systems
-  Broad strokes and high-level
-  Useful for making comparisons
-  Useful for finding gaps in design space

Conclusions

Heuristic analysis


Heuristic analysis of languages

Both idea generation and evaluation

Depends on the kind of heuristic

Categorical allows questioning

Ordinal allows for degree comparison



Announcement

Next lecture will be online!

- 12:20, January 2, 2023
- matfyz.zoom.us/j/91945625974
- Meeting ID: 919 4562 5974



Conclusions

Heuristic evaluation of programming systems

- Memory (categorical) and liveness (ordinal)
- Cognitive and technical dimension frameworks
- Broad-brush map of the design space
- Useful for evaluation and novel design ideas

Tomáš Petříček, 309 (3rd floor)

✉ petricek@d3s.mff.cuni.cz

➔ <https://tomasp.net> | [@tomaspetricek](https://twitter.com/tomaspetricek)

➔ <https://d3s.mff.cuni.cz/teaching/nprg075>

References (1/2)

Live visual programming

- Tanimoto, S. L. (1990). [VIVA: A visual language for image processing](#), Journal on Visual Languages
- Tanimoto, S. L. (2013). [A Perspective on the Evolution of Live Programming](#), LIVE

Language adoption & Heuristics

- Meyerovich, L. A., Rabkin, A. S. (2013). [Empirical Analysis of Programming Language Adoption](#), OOPSLA
- Meyerovich, L. A., Rabkin, A. S. (2012). [Socio-PLT: Sociological Principles for Programming Language Adoption](#), Onward!
- Nielsen, J. (1994). [10 Usability Heuristics for User Interface Design](#). Norman-Nielsen Group

References (2/2)

Cognitive, technical & memory models

- Sitaker, K. J. (2016). [The memory models that underlie programming languages](#), Online
- Jakubovic, J. et al. (2023). [Technical Dimensions of Programming Systems](#), Programming
- Holwerda, R., Hermans, F. (2018). [A usability analysis of blocks-based programming editors using cognitive dimensions](#), VL/HCC
- Blackwell, A., Green, T. (2002). [Notational Systems – the Cognitive Dimensions of Notations framework](#). (Chapter)

A bit of history

- Goldstine, H., von Neumann, J. (1947). [Planning and coding of problems for an electronic computing](#), Princeton

