Homework 1: Java Pathfinder



Systems

Pavel Parízek



FACULTY OF MATHEMATICS AND PHYSICS Charles University

Daisy file system

- Simple concurrent file system written in Java
- http://d3s.mff.cuni.cz/files/teaching/nswi132/ files/daisyfs.zip
- Content
 - File daisy.txt
 - Very short description
 - Relevant operations
 - Source code
 - DaisyTest.java: a sequential test driver

Distributed and

Task 1

- Implement custom properties for Daisy FS
 - Precondition for DaisyDir.creat should hold on every invocation of the method

// dir != fh && dir != null && fh != null

int creat(FileHandler dir, byte[] name, FileHandle fh)

- Correct lock order
 - acquire: LockManager.acq(lockno)
 - release: LockManager.rel (lockno)
 - For each lockno, the calls to methods acq and rel should strictly alternate in each thread

- Create artificial environment for Daisy FS
 - Goal: find as many bugs in the code as possible with reasonable effort
 - Look for concurrency errors (races, deadlocks)
 - Make sure that all important use cases are tested
 - creating a new directory, reading from a file, writing to a file, removing files, etc
 - The class DaisyTest uses only a single thread



Concurrency benchmarks

Elevator

<u>http://d3s.mff.cuni.cz/files/teaching/nswi132/file</u> <u>s/elevator.zip</u>

- Replicated Workers
 - <u>http://d3s.mff.cuni.cz/files/teaching/nswi132/file</u> <u>s/repworkers.zip</u>



- Detecting concurrency errors in Elevator and Replicated Workers
- Find the best possible configuration of JPF
 - Criteria: explored thread choices, speed, memory



Task 4

- Document your solution
 - What you did and why you did it
 - Which approaches did not work

Hints

Listeners

- gov.nasa.jpf.listener.CallMonitor
- gov.nasa.jpf.listener.VarTracker

Configuration

- jpf.properties
- Do not forget to set the available memory to a reasonable value (512 MB, 1 GB)
 - Command-line argument: java -Xmx1024m

Distributed and Dependable

Organization

• Deadline: **2.4.2024**

- Submission
 - E-mail: parizek@d3s.mff.cuni.cz

