


# NPRG065: Programming in Python

## Lecture 5

<http://d3s.mff.cuni.cz>



FACULTY  
OF MATHEMATICS  
AND PHYSICS  
*Charles University*

*Tomas Bures*

*Jan Kofron*

`{bures,kofron}@d3s.mff.cuni.cz`

# Basic I/O and Exceptions (cont.)

# Handling exceptions

- Reminder

```
import sys

try:
    f = open(sys.argv[1], 'r')
except OSError:
    print('cannot open', sys.argv[1])
else:
    print('File has', len(f.readlines()), 'lines')
    f.close()
```

# with

- partially similar to Java's "try with resources" or C#'s **with**
  - calls **close()** but does not handle exceptions
- usable not only with files
  - will be covered later

```
with open('workfile') as f:  
    read_data = f.read()  
    // do something with read data  
print(f.closed) // prints true
```

Examine and run  
basic\_io.py

# Raising exceptions

- raise

```
raise NameError('HiThere')
```

```
raise ValueError
```

- Exceptions can be re-raised

```
try:  
    raise NameError('HiThere')  
except NameError:  
    print('An exception flew by!')  
    raise
```

# Own exceptions

- exception ~ an instance of a class extending the Python's built-in **Exception** class
  - classes, extending, etc. will be covered the next lecture

```
class MyException(Exception):  
    pass  
  
try:  
    raise MyException  
except:  
    print('Exception occurred')
```

See  
[own\\_exception.py](#)

# Functions and their parameters

# Functions

- `def function_name(parameters) :`  
    `body`  
    `return value`      `# optional`
- Are first-class entities
  - e.g., can be assigned or passed as arguments

```
def say_hello():  
    print('Hello world')  
  
say_hello()  
  
print_hello = say_hello  
  
print_hello()
```



# Functions

- Five kinds of parameters
  - positional-or-keyword – most common and default variant
    - `def func(foo, bar=None) :`
  - positional-only – used only in several builtin functions
  - keyword-only
    - `def func(arg, *, kw_only1, kw_only2) :`
  - var-positional – an arbitrary sequence of positional arguments
    - `def func(*args, **kwargs) :`
  - var-keyword – an arbitrary sequence of keywords arguments
    - `def func(*args, **kwargs) :`
- Parameters – passing by-value

Examine and run  
functions.py

# Functions

- Functions can be defined in functions
  - e.g., to hide implementation

```
def factorial(number):  
    # error handling  
    if not number >= 0:  
        return -1  
  
    def inner_factorial(number):  
        if number <= 1:  
            return 1  
        return number*inner_factorial(number-1)  
    return inner_factorial(number)
```

Examine and run  
functions.py

# Functions and visibility

- Visibility of variables in function is as usual

```
def outer():  
    test = 1  
    def inner():  
        test = 2  
        print('  inner:', test)  
    inner()  
    print('  outer:', test)  
  
test = 0  # global scope  
outer()  
print('  global:', test)
```

Examine and run  
functions.py

# Functions and visibility

- But we can access variables in different scope

```
nonlocal test
```

```
global test
```

test variable from the nearest  
enclosing scope

test variable from the global scope

Examine and run  
functions.py



The slides are licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).