

NSWI101: SYSTEM BEHAVIOUR MODELS AND VERIFICATION

LAB 06 – CTL AND OBDD EXERCISES

Jan Kofroň



FACULTY
OF MATHEMATICS
AND PHYSICS
Charles University

Department of
Distributed and
Dependable
Systems



1. Decide whether

- $f : AGEFp$
- $g : EFP$

are equivalent CTL formulae. Provide a proof.

1. Decide whether

- $f : AGEFp$
- $g : EFP$

are equivalent CTL formulae. Provide a proof.

2. Is any following formula true?

- $f \implies g$
- $g \implies f$

1. Decide whether

- $f : (EG\ q) \vee (EG\ p \wedge EF\ q)$
- $g : E(p\ U\ q)$

are equivalent CTL formulae. Provide a proof.

1. Decide whether

- $f : (EG\ q) \vee (EG\ p \wedge EF\ q)$
- $g : E(p\ U\ q)$

are equivalent CTL formulae. Provide a proof.

2. Is any following formula true?

- $f \implies g$
- $g \implies f$

OBDD EXERCISES

1. Represent the following Boolean function using OBDD:

- $(a \wedge b \wedge \neg c) \vee ((b \wedge c) \wedge (a \vee \neg b))$

Use various variable orderings:

- $a < b < c$

- $b < c < a$

OBDD EXERCISES

1. Represent the following Boolean function using OBDD:

- $(a \wedge b \wedge \neg c) \vee ((b \wedge c) \wedge (a \vee \neg b))$

Use various variable orderings:

- $a < b < c$

- $b < c < a$

What is the simplest formula represented by the diagrams?

OBDD EXERCISES

1. Represent the following Boolean function using OBDD:

- $(a \wedge b \wedge \neg c) \vee ((b \wedge c) \wedge (a \vee \neg b))$

Use various variable orderings:

- $a < b < c$

- $b < c < a$

What is the simplest formula represented by the diagrams?

2. Using OBDD, represent $\{4, 12\}$ as subset of $\{0..15\}$

Use characteristic function: $f(x) = 1 \Leftrightarrow x \in S$

1. Represent the following Boolean function using OBDD:

- $(a \wedge b \wedge \neg c) \vee ((b \wedge c) \wedge (a \vee \neg b))$

Use various variable orderings:

- $a < b < c$

- $b < c < a$

What is the simplest formula represented by the diagrams?

2. Using OBDD, represent $\{4, 12\}$ as subset of $\{0..15\}$

Use characteristic function: $f(x) = 1 \Leftrightarrow x \in S$

3. Represent subsets of $\{0..15\}$:

- $\{15, 7\}$

- $\{0, 4, 13, 8, 5, 12, 1, 9\}$

- $\{11, 0, 3, 8, 2, 6, 1, 7\}$