

NPRG065: Programming in Python *Lecture 7*

<http://d3s.mff.cuni.cz>


Department of
Distributed and
Dependable
Systems



Tomas Bures

Petr Hnetynka

{bures, hnetynka}@d3s.mff.cuni.cz



CHARLES UNIVERSITY IN PRAGUE

faculty of mathematics and physics

Functions

(continuation from lect. 5)

Type hints

- Function parameters – no explicit type defined
 - it's obvious as Python is dynamically typed
- But they can be added via type hints
 - since python 3.5
 - **only for documentation purposes!**
 - **still no type checking at runtime!**

```
def greeting(name: str) -> str:  
    return 'Hello ' + name
```

See
[hints.py](#)

Lambdas & Functional programming

- Anonymous functions

- `adder = lambda x, y: x + y`
- `print_val = lambda name, value: name + '=' + str(value)`

- Lambda body ~ single expression

- rather limited
 - Python authors do not like lambdas
 - but it is not a big deal; regular functions are first class objects, references to them can be passed

Lambdas & Functional programming

- Functional programming (FP)
 - declarative programming paradigm
 - computation as the evaluation of mathematical functions
 - avoids changing-state and mutable data
- Python builtin functions for FP
 - **map** and **filter**
 - **enumerate**, **sorted**, **any**, **all**, **zip**
 - module **functools**
 - and **operator**

Examine and run
functional.py

Generators

- When you need elements of a sequence but not the complete sequence
 - similar to an iterator
- Generator functions
 - a function with yield instead of return
 - yield – allows functions to suspend and resume their state between each call

Examine and run
[generators.py](#)

```
def get_squares_gen(n):  
    for x in range(n):  
        yield x ** 2
```

- Generator expressions
 - similar to list comprehensions, but
 - return an object that produces results one by one
 - instead of directly producing a list

```
(k**2 for k in range(10))
```



Back to core types

int

- Supports “big-size” integers
- Internal representation
 - till `sys.maxsize` – regular int
 - over `sys.maxsize` – a sequence of digits

See
nums.py

```
import sys
import math
math.log(sys.maxsize, 2)
# prints out size of "small" integers in bits
```

- **int** is a class
 - integers are objects (instances of the **int** class)
 - classes will start next lecture
 - is not computing inefficient? (i.e., creating too many objects)
 - a pool for the commonly used numbers (-5 to 256)

float

- floats are inherently imprecise
 - internally represented as base 2 fractions
 - “human floats” are base 10 fractions

```
print(0.1 + 0.1 + 0.1 == 0.3)      # -> False
print(1/10 + 1/10 + 1/10 == 3/10)  # -> False
```

- Decimal and Fraction types
 - exact representation
 - but slower computations

See
[nums.py](#)



The slides are licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).