

Assignments

- Write a program that creates a list containing tuples with elements in the multiplication table, i.e.,
[(1, 1, 1) , (1, 2, 2) , . . . (10, 9, 90) ,
 (10, 10, 100)]
- Write a program that creates two list containing tuples with elements in the multiplication table – one for odd numbers and one for even numbers

[(1, 1, 1) , (1, 2, 2) , . . . (3, 1, 3) , (3, 2, 6) . . .]
[(2, 1, 2) , (2, 2, 4) , . . . (4, 1, 4) , (4, 2, 8) . . .]

Assignments

- Write a simple calculator that accepts the input in the Reverse Polish notation (i.e., the postfix notation)
 - the expressions are accepted as commandline arguments
 - e.g., `pcalc.py 1 2 3 + +`
prints out 6

Assignments

- Write a program that for a given string prints out number of occurrences of individual characters

- e.g., `mississippi`

`m: 1 times`

`i: 4 times`

`...`

Assignment

- Implement selection sort
 - a function that takes a list of ints and sorts it by selection sort
- overview of selection sort
 - finds the smallest value in the whole array (0:n) and swaps it with the first item
 - finds the smallest value in the rest of the array (1:n) and swaps it with the second item
 - finds the smallest value in the rest of the array (2:n) and swaps it with the third item
 - etc. until we reach the end of the array

Assignment

- Implement heapsort (without help of heapq)
 - a function that takes a list of ints and sorts it by heapsort
- overview of heapsort
 - sorting using a heap
 - heap – binary tree where each node has smaller value than its children
 - heap is constructed directly in the array
 - children of the node i are $2*i+1$ and $2*i+2$
 - pseudocode

```
procedure heapsort(a, count)
  heapify(a, count)
  end = count - 1
  while end > 0 do
    swap(a[end], a[0])
    end = end - 1
    siftDown(a, 0, end)
```



The slides are licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).